

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| S1 | 0 | avellino.xa. and elastic.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 14:36 |
| S2 | 0 | launch near10 AIM near10 unavail\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 05:52 |
| S3 | 91929 | launch\$4 messenger near10 unavail\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/17 14:18 |
| S4 | 0 | launch\$4 near10 messenger near10 unavail\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/17 14:18 |
| S5 | 16 | call\$4 near10 busy near10 instant\$4 near10 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:25 |
| S6 | 12 | determin\$6 near10 busy near10 instant\$4 near10 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:25 |
| S7 | 0 | determin\$6 near10 phone near10 busy near10 instant\$4 near10 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:26 |
| S8 | 0 | determin\$6 near10 phone near10 unavail\$7 near10 instant\$4 near10 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:26 |
| S9 | 6 | phone near10 unavail\$7 near10 instant\$4 near10 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:27 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S10 | 80 | (telephone\$1 phone\$4) near10 busy same instant\$4 near5 messag\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:27 |
| S11 | 33 | (telephone\$1 phone\$4) near10 busy same instant\$4 near5 messag\$6 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:32 |
| S12 | 5 | "6757365" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 06:32 |
| S13 | 3 | send\$4 near10 (IM instant near5 message\$4) near10 (phone\$1 device\$4) near10 unavail\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 20:35 |
| S14 | 3 | send\$4 near10 (IM instant near5 message\$4) near10 (phone\$1) near10 (busy unavail\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 13:28 |
| S15 | 6 | (IM instant near5 message\$4) near10 (phone\$1) near10 (busy unavail\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/18 20:37 |
| S16 | 128 | instant\$4 near5 messag\$4 same launch\$4 near10 application\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 14:38 |
| S17 | 9 | call\$4 near10 busy same send\$4 near10 (IM instant near10 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:13 |
| S18 | 2 | call\$4 near10 unavail\$6 same send\$4 near10 (IM instant near10 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:15 |
| S19 | 1 | call\$4 near10 unavail\$6 same forward\$4 near10 (IM instant near10 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:16 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S20 | 24 | call\$4 near10 unavail\$6 same (IM instant near10 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:34 |
| S21 | 175 | (execut\$4 launch\$4) near10 (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:35 |
| S22 | 0 | busy same (execut\$4 launch\$4) near10 (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:35 |
| S23 | 0 | unavail\$6 same (execut\$4 launch\$4) near10 (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:36 |
| S24 | 25 | unavail\$6 same (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:36 |
| S25 | 47 | (busy unavail\$6) same (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:36 |
| S26 | 8 | (busy unavail\$6) same (IM instant near10 messag\$4) near10 (program\$4 application\$4) and @ad<"20030630" and "455".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:37 |
| S27 | 9 | (phone\$1 telephone\$4) near10 (busy unavail\$6) same (IM instant near10 messag\$4) and @ad<"20030630" and "455".clas. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:38 |
| S28 | 63 | (phone\$1 telephone\$4) near10 (busy unavail\$6) same (IM instant near10 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/26 17:38 |
| S29 | 0 | automatic\$4 near10 (IM instant near5 messag\$4) near10 phone\$1 near10 (busy unavail\$8) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 14:59 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S30 | 26 | automatic\$4 near10 (IM instant near5 messag\$4) near10 (busy unavail\$8) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 14:59 |
| S31 | 9 | automatic\$4 near10 (IM instant near5 messag\$4) near10 (busy unavail\$8) same (phone\$1 telephone\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:01 |
| S32 | 16 | send\$4 near10 (IM instant near5 messag\$4) near10 (busy unavail\$8) same (phone\$1 telephone\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:04 |
| S33 | 35 | "0120884" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:14 |
| S34 | 0 | notif\$4 near10 caller near10 unreach\$6 near (instant near5 messag\$4 IM email\$4 e adj mail\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:14 |
| S35 | 0 | notif\$4 near10 caller near10 unreach\$6 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:15 |
| S36 | 0 | notif\$4 near10 caller near10 unavail\$8 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:15 |
| S37 | 28 | notif\$8 near10 unavail\$8 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:16 |
| S38 | 46 | (phone\$1 telephone\$4) near10 unavail\$8 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:17 |
| S39 | 18 | (phone\$1 telephone\$4) near10 unavail\$8 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:31 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S40 | 1 | (party parties) near10 unavail\$8 near10 send\$4 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:31 |
| S41 | 24 | unavail\$8 near10 send\$4 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:32 |
| S42 | 3 | (call\$6) near10 unavail\$8 near10 send\$4 near10 (instant near5 messag\$4 IM email\$4 e adj mail\$4) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:39 |
| S43 | 4 | (call\$6) near10 unavail\$8 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:46 |
| S44 | 0 | (call\$6) near10 rerout\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:47 |
| S45 | 31 | (call\$6) near10 forward\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:57 |
| S46 | 3 | (unavail\$10) near10 forward\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/03 15:57 |
| S47 | 26 | (telephone\$4 phone\$4) near10 forward\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:42 |
| S48 | 11 | trigger\$4 near10 generat\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:43 |
| S49 | 16 | trigger\$4 near10 send\$4 near10 (instant near5 messag\$4 IM) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:46 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S50 | 0 | generat\$4 near10 (instant near5 messag\$4 IM) same "on" near5 phone and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:47 |
| S51 | 1 | generat\$4 near10 (instant near5 messag\$4 IM) same busy and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:47 |
| S52 | 8 | generat\$4 near10 (instant near5 messag\$4 IM) same unavail\$10 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:47 |
| S53 | 87 | generat\$4 near10 (instant near5 messag\$4 IM) same (telephone\$1 phone\$1) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:51 |
| S54 | 2 | generat\$4 near10 (instant near5 messag\$4 IM) same (telephone\$1 phone\$1) near10 status\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:48 |
| S55 | 48 | (creat\$4 generat\$4) near10 (instant near5 messag\$4 IM) near10 (call calls calling) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:50 |
| S56 | 0 | (creat\$4 generat\$4) near10 (instant near5 messag\$4 IM) same (unable unavail\$10) near10 (call calls calling) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:50 |
| S57 | 18 | (creat\$4 generat\$4) near10 (instant near5 messag\$4 IM) same (unable unavail\$10) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:50 |
| S58 | 39 | generat\$4 near10 (instant near5 messag\$4 IM) near10 (telephone\$1 phone\$1) and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:52 |
| S59 | 0 | generat\$4 near10 (instant near5 messag\$4 IM) same (call calls calling) near10 trigger\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:53 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S60 | 2 | generat\$4 near10 (instant near5 messag\$4 IM) same (call calls calling) near10 event\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:55 |
| S61 | 0 | creat\$4 near10 (instant near5 messag\$4 IM) same (call calls calling) near10 event\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:55 |
| S62 | 1 | send\$4 near10 (instant near5 messag\$4 IM) same (call calls calling) near10 miss\$4 and @ad<"20030626" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/04 09:55 |
| S63 | 1 | (start\$4 launch\$4) near10 instant\$4 near10 messag\$4 near10 unavail\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 05:53 |
| S64 | 6 | (start\$4 launch\$4) near10 instant\$4 near10 messag\$4 near10 phone\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 05:54 |
| S65 | 25 | (start\$4 launch\$4) near10 instant\$4 near10 messag\$4 near10 avail\$7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 05:56 |
| S66 | 0 | (start\$4 launch\$4) near10 instant\$4 near10 messag\$4 same instead near10 call\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 05:57 |
| S67 | 20 | instant\$4 near10 messag\$4 same instead near10 call\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:05 |
| S68 | 24 | (IM instant\$4 near10 messag\$4) same instead near10 call\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:08 |
| S69 | 0 | mobile near10 (phone\$1 terminal\$1) near10 avail\$10 near10 (IM instant near5 messag\$4) near10 call\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:10 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S70 | 24 | mobile near10 (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) near10 call\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:25 |
| S71 | 3 | mobile near10 (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) near10 prefer\$5 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:20 |
| S72 | 208 | (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) near10 call\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:26 |
| S73 | 1 | (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) near10 call\$4 near10 prefer\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:26 |
| S74 | 2 | (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) near10 prefer\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:27 |
| S75 | 1 | (creat\$4 launch\$4 start\$4) near10 (IM instant near5 messag\$4) near10 prefer\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:27 |
| S76 | 23 | (phone\$1 terminal\$1) near10 (IM instant near5 messag\$4) same prefer\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:28 |
| S77 | 1 | transfer\$4 near10 call\$4 near10 (IM instant near5 messag\$4) same prefer\$4 and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:29 |
| S78 | 26 | transfer\$4 near10 call\$4 near10 (IM instant near5 messag\$4) and @ad<"20030630" not S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:46 |
| S79 | 0 | invit\$4 near10 (IM instant near5 messag\$4) near10 instead near10 voicemail\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:47 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S80 | 0 | (IM instant near5 messag\$4) near10 instead near10 voicemail\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:47 |
| S81 | 96 | (IM instant near5 messag\$4) near10 voicemail\$4 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:47 |
| S82 | 8 | (IM instant near5 messag\$4) near10 voicemail\$4 same prefer\$6 and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:50 |
| S83 | 3 | (call\$4) near10 (busy\$4 unavail\$4 voicemail\$1) near10 reply near10. (IM instant near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:51 |
| S84 | 3 | (call\$4) near10 (busy\$4 unavail\$4 voicemail\$1) near10 repl\$4 near10 (IM instant near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:53 |
| S85 | 48 | (call\$4) near10 (busy\$4 unavail\$4 voicemail\$1) near10 (IM instant near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:53 |
| S86 | 4 | reply\$4 near10 busy near10 (im instant near5 messag\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 06:59 |
| S87 | 1 | call\$4 near10 busy near10 repl\$6 with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:08 |
| S88 | 33 | call\$4 near10 repl\$6 with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:10 |
| S89 | 2 | busy near10 repl\$6 with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:08 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S90 | 11 | call\$4 near10 fail\$4 with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:13 |
| S91 | 6 | repl\$4 near10 fail\$4 with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:13 |
| S92 | 1 | repl\$4 near10 VOICEMAIL with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:14 |
| S93 | 0 | instead near10 VOICEMAIL with (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:14 |
| S94 | 19 | reply near10 call\$3 near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:19 |
| S95 | 47 | respond\$4 near10 call\$3 near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:24 |
| S96 | 0 | user\$4 near5 busy near10 signal\$4 near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:25 |
| S97 | 0 | user\$4 near5 busy near10 (reply replies respond\$4) near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:25 |
| S98 | 5 | busy near10 (reply replies respond\$4) near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:27 |
| S99 | 19 | telephone\$4 near10 (reply replies respond\$4) near10 (IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:33 |

EAST Search History

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S10 0 | 20 | mobile near5 (phone\$1 telephone\$4) near10 (reply replies respond\$4) near10 (sms IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:33 |
| S10 1 | 3 | mobile near5 (phone\$1 telephone\$4) near10 (busy) near10 (sms IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 07:35 |
| S10 2 | 60 | call\$4 with (busy fail\$4) near10 (sms IM instant\$4 near5 messag\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 13:28 |
| S10 3 | 5 | (IM instant near5 message\$4) near10 (busy unavail\$4) and 379/88.13.ccls. and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 13:33 |
| S10 4 | 11 | ("5034947" "5329578" "5652789" "5825867" "5835573" "5894504" "5905774" "6026156" "6343121" "6438216" "6498841").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/01/09 13:31 |
| S10 5 | 0 | ("5034947" "5329578" "5652789" "5825867" "5835573" "5894504" "5905774" "6026156" "6343121" "6438216" "6498841").PN. and (instant adj messag\$4) | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/01/09 13:31 |
| S10 6 | 3 | ("5034947" "5329578" "5652789" "5825867" "5835573" "5894504" "5905774" "6026156" "6343121" "6438216" "6498841").PN. and (IM) | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/01/09 13:31 |
| S10 7 | 7 | (reply replies replied) near10 (IM instant near5 message\$4) near10 (busy unavail\$4) and @ad<"20030630" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/09 13:33 |